




MARC Gen-Next Appliances



Corporate Office:

Marc Enterprises Pvt. Ltd., 113 Badli Industrial Area Phase-II , Delhi-110042 Phone: +91-11-47615020. Web: www.marcindia.biz, Email: marketing@marcindia.biz







CARRIBEAN SAFARI



1	Ultra Quiet Operation	
0	Reversible Motor- For circulating Heater air in winters	
	Artistically woven 5 Blades - For circulating air to a larger area	
(Capacitor Regulator - For noiseless efficient speed control	

Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
1320	82	285	190





Extra Wide Aluminium Blades - For Superb Air Delivery

Triple Layer Metallic Paint & Designer Trims For resplendant looks

Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
1200	80	345	






	High Speed Motor For Superior Air Thrust	
Cu	Full Copper Motor- For Efficient lasting performance	
*	Wide Aluminium Blades- For Excellent Air Delivery	
	Triple Layer Metallic Finish - For resplendant looks	

Sweep (mm)	Power Input (watts)	Speed (RPM)	Air Delivery (m³ / min)
600	62	850	115
900	60	380	145
1050	68	360	180
1200	75	345	205
1400	75	290	245










(Power Saver Motor - For Savings Operational Costs	
	Full Copper Motor	

Full Copper Motor-For Efficient lasting performance

_

Lustrous Powder Coated Finish - For long life







		5
	High Speed Motor -For tremendous air thrust.	
Cu	Full Copper Motor- For Efficient lasting performance	
×	Lustrous Powder coated finish - For long life	

Sweep (mm)	Power Input (watts)	Speed (RPM)	Air Delivery (m³ / min)
600	62	850	115
900	60	415	145
1050	68	370	190
1200	75	380	205
1400	75	290	245



WALL FANS



MW 09



High Speed Motor-For tremendous air thrust.



Full Copper Motor-



For Efficient lasting performance



Thermal Overload Protector-For Protection in the unlikely event of overload

Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
400	115	2000	85





MW 01







Lustrous Powder coated finish -For long life

	Sweep (mm)	Power Input (watts)	Speed (RPM)	Air Delivery (m³ / min)	
ĺ	400	55	1330	70	

MW 12



High Speed Motor-For tremendous air thrust.



Full Copper Motor-For Efficient lasting performance


Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
300	80	2100	65





MT 09

TABLE FANS



Sweep	Power Input	Speed	Air Delivery	

2000

115











Full Copper Motor-For Efficient lasting performance



Lustrous Powder coated finish -

Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
400	55	1330	70





PEDESTAL FANS



MS 09



Powerful High Speed Motor-For tremendous air thrust.

Full Copper Motor-For Efficient lasting performance

Thermal Overload ProtectorFor Protection in the unlikely event of overload

Telescopic height adjuster-For directing Air throw

Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
400	115	2000	85

MS 01



Cu	Full Copper Motor- For Efficient lasting performance	
1	Telescopic height adjuster- For directing Air throw	

Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
400	55	1330	70

FARATA



**	Powerful High Speed Motor- For tremendous air thrust.
	For tremendous air thrust.

	Full Copper Motor- For Efficient lasting performance	
COPPER	For Efficient lasting performance	

Telescopic height adjuster-For directing Air throw

Sweep	Power Input	Speed	Air Delivery
(mm)	(watts)	(RPM)	(m³ / min)
500	160	1400	

